

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁴ : A61G 9/00	A1	(11) International Publication Number: WO 86/ 01098 (43) International Publication Date: 27 February 1986 (27.02.86)
(21) International Application Number: PCT/AU85/00189 (22) International Filing Date: 12 August 1985 (12.08.85) (31) Priority Application Numbers: PG 6513/84 PG 7772/84 PH 00306/85 PH 01129/85 (32) Priority Dates: 10 August 1984 (10.08.84) 23 October 1984 (23.10.84) 26 April 1985 (26.04.85) 20 June 1985 (20.06.85) (33) Priority Country: AU (71)(72) Applicant and Inventor: HADAWAY, Mary, Gwendoline [AU/AU]; 7 Urch Road, Kalamunda, W.A. 6076 (AU). (74) Agents: HARWOOD, Errol, John et al.; R.C. Wray & Associates, P.O. Box 6157, Hay Street East, Perth, W.A. 6000 (AU).		(81) Designated States: AT (European patent), AU, BE (European patent), BR, CH (European patent), DE (European patent), DK, FR (European patent), GB (European patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), NO, SE (European patent), US. Published <i>With international search report.</i>
(54) Title: BEDPAN 		
(57) Abstract A disposable bag having two walls for receiving and conforming to a conventional bedpan (12). A first wall (17) is formed as a liner that conforms to the inner surface (18) of the bedpan (12). After use, the walls are separable such that the second wall may be used as a closure for the liner opening. The bag may be used with a seat portion constructed from foam plastic. The upper exterior contact surface of the bag may be used with antislip paper and the exterior surface of the second wall may have antislip characteristics. The bag may be made from a material degradable in water such as modified gelatine or polyvinyl alcohol film.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GA	Gabon	MR	Mauritania
AU	Australia	GB	United Kingdom	MW	Malawi
BB	Barbados	HU	Hungary	NL	Netherlands
BE	Belgium	IT	Italy	NO	Norway
BG	Bulgaria	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali		
FR	France				

"Bedpan"

THIS INVENTION relates to improvements in bedpans used in nursing persons confined to bed, incontinent persons and others unable to use normal toilet facilities.

The transport and disposal of the contents of a bedpan is a most unpleasant task. In addition the pans have to be sterilised after each use requiring a substantial investment on the part of a hospital.

The object of the present invention is to provide a liner for a bedpan which liner can be covered in a suitable manner after use and disposed of in the normal sewage system.

In one form the invention resides in a disposable liner for a bedpan comprising a bag formed of flexible material, one wall of the bag having a dished configuration so that it can fit into a bedpan to cover the bottom and side walls thereof and overlap the seat portion of the bedpan and the other wall being separable from the dished wall so that the dished portion and any contents can be covered for transport to the disposal location.

Preferably the liner is made of a material which will break down when immersed in water in contact with both surfaces of the liner for an extended period but will be sufficiently strong to remain unaffected when in contact on one surface only with urine or other body fluids for a short period. Modified gelatine is one suitable material. Various grades of polyvinyl alcohol film are also suitable. In appropriate circumstances one or more chemicals may be added to or substituted for the water to facilitate the break down of the liner.



Whilst the line of the present invention is suitable for use with conventional bedpans made of porcelain, stainless steel or a suitable plastic it is preferable that the liner be used in conjunction with a custom like seat member. The seat member may be formed from any suitable material. However a foam material such as a self-skinning polyurethane or is preferred having regard to patient comfort.

Thus in another form the invention resides in a bedpan having annular seat member fitted with a liner substantially as defined above.

The various aspects of the invention will be better understood by reference to the following description of one embodiment shown in the accompanying drawings wherein:-

Fig. 1 is a plan view of the pan without the liner;
Fig. 2 is a section on line A-A of Fig. 1;
Fig. 3 is a section on line B-B of Fig. 1;
Fig. 4 is a plan view of the pan fitted with a liner;
Fig. 5 is a section on line C-C of Fig. 4;
Fig. 6 is a section on line D-D of Fig. 4; and
Fig. 7A to 7D illustrate the removal of the liner after use.

As shown in the drawings the seat member 11 is constructed from a suitable foam plastic material such as self-skinning polyurethane and is more or less of conventional bedpan shape with relatively thick walls 12 of sufficient strength to support a user and at the same time provide a comfortable seat for the user. The bottom of the pan may be provided with a sheet 13 of suitable plastic welded or formed integral with the walls 12. Preferably the rear portion of the seat member is wedge shaped to facilitate its insertion into the liner.

Preferably the seat member has a sheathed area 14 for male users and a recessed area 15 to locate the user. The inner walls of the member each have inwardly directed protrusion to support tuberosity.

A liner 17 consisting of a bag like structure formed from a suitable plastic material has one wall provided with a concavity so that when the pan is inserted into the bag the concavity can be pushed into the inside of the pan to line it as is best seen in Figs. 5 and 6 of the drawings. The other wall 18 of the bag is positioned under the pan as is seen in Fig. 6 of the drawings. The area 19 of the one wall of the bag is provided with a pressure sensitive adhesive to hold the liner in place during use. Also the portion of the line on which the patient sits may be covered with paper or other suitable material to prevent the patient from slipping.

The outer face of the other wall of the bag which is in contact with the bed during use may be treated to provide a surface that does not slip on the bed clothes when the pan is in use.

When the contents of the pan are to be dealt with the other wall of the bag is separated from the one wall by tearing along the join and as a cover as will be seen in Figs. 7A to 7D of the drawings.

It will be appreciated that the liner described above may be used in conjunction with a conventional bedpan formed of stainless steel or plastic. When so used the need for autoclaving the pan after use is substantially reduced if not completely eliminated.

THE CLAIMS defining the invention are as follows:-

1. A disposable liner for a bedpan comprising a bag formed of flexible material, one wall of the bag having a dished configuration so that it can fit into a bedpan to cover the bottom and side walls thereof and overlap the seat portion of the bedpan and the other wall being separable from the dished wall so that the dished portion and any contents can be covered for transport to the disposal location.
2. A disposable liner as claimed in claim 1 wherein the liner is formed of a material which will break down when immersed in water or other liquid for an extended period but will be sufficiently strong to remain unaffected when in contact with urine or other body fluids for a short period.
3. A disposable liner as claimed in claim 2 wherein the material is a modified gelatine or a polyvinyl alcohol film.
4. A disposable liner substantially as herein described and shown in the accompanying drawings.
5. A bedpan comprising a patient supporting member fitted with a disposable liner as claimed in any one of the preceding claims.
6. A bedpan as claimed in claim 5 wherein the patient supporting member is a conventional stainless steel or plastic pan.
7. A bed pan as claimed in claim 5 wherein the patient supporting member comprises an annular elliphical shaped member formed of a foam material.





8. A bedpan as claimed in claim 7 wherein the foam material is polyurethane or polyvinyl chloride.


9. A bedpan as claimed in claim 5 substantially as herein described and shown in the accompanying drawings.



1/3







INTERNATIONAL SEARCH REPORT

International Application No PCT/AU 85/00189

I CLASSIFICATION OF SUBJECT MATTER <small>(If several classification symbols apply, the first only)</small> According to International Patent Classification (IPC) or to both National Classification and IPC <div style="display: flex; justify-content: space-between; margin-top: 5px;"> Int. Cl.⁴ A61G 9/00 </div>														
II FIELDS SEARCHED <div style="text-align: center; margin-top: 5px;">Minimum Documentation Searched ¹</div> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th style="width: 30%;">Classification System</th> <th>Classification Symbols</th> </tr> <tr> <td>IPC</td> <td>A61G 9/00</td> </tr> <tr> <td>US cl.</td> <td>4/451</td> </tr> </table> <div style="text-align: center; margin-top: 5px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ²</div> <div style="margin-top: 10px;">AU : IPC as above</div>			Classification System	Classification Symbols	IPC	A61G 9/00	US cl.	4/451						
Classification System	Classification Symbols													
IPC	A61G 9/00													
US cl.	4/451													
III DOCUMENTS CONSIDERED TO BE RELEVANT ³ <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 10%;">Category ⁴</th> <th style="width: 70%;">Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 20%;">Relevant to Claim No. ¹³</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>US,A, 4136798 (OBERSTEIN) 30 January 1979 (30.01.79)</td> <td style="text-align: center; vertical-align: top;">(1-9)</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>US,A, 3936890 (OBERSTEIN) 10 February 1976 (10.02.76)</td> <td style="text-align: center; vertical-align: top;">(1-9)</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>US,A, 3906555 (SCOTT et al) 23 September 1975 (23.09.75)</td> <td style="text-align: center; vertical-align: top;">(1-9)</td> </tr> </tbody> </table>			Category ⁴	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	X	US,A, 4136798 (OBERSTEIN) 30 January 1979 (30.01.79)	(1-9)	X	US,A, 3936890 (OBERSTEIN) 10 February 1976 (10.02.76)	(1-9)	X	US,A, 3906555 (SCOTT et al) 23 September 1975 (23.09.75)	(1-9)
Category ⁴	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³												
X	US,A, 4136798 (OBERSTEIN) 30 January 1979 (30.01.79)	(1-9)												
X	US,A, 3936890 (OBERSTEIN) 10 February 1976 (10.02.76)	(1-9)												
X	US,A, 3906555 (SCOTT et al) 23 September 1975 (23.09.75)	(1-9)												
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>[*] Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p> </div> </div>														
IV. CERTIFICATION <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <td style="width: 50%; padding: 5px;"> Date of the Actual Completion of the International Search <div style="text-align: center;">24 October 1985 (24.10.85)</div> </td> <td style="width: 50%; padding: 5px;"> Date of Mailing of this International Search Report <div style="text-align: center;">(01-11-85) 01 NOVEMBER 1985</div> </td> </tr> <tr> <td style="width: 50%; padding: 5px;"> International Searching Authority <div style="text-align: center;">Australian Patent Office</div> </td> <td style="width: 50%; padding: 5px;"> Signature of Authorized Officer <div style="text-align: center;"> TREVOR DREDGE </div> </td> </tr> </table>			Date of the Actual Completion of the International Search <div style="text-align: center;">24 October 1985 (24.10.85)</div>	Date of Mailing of this International Search Report <div style="text-align: center;">(01-11-85) 01 NOVEMBER 1985</div>	International Searching Authority <div style="text-align: center;">Australian Patent Office</div>	Signature of Authorized Officer <div style="text-align: center;"> TREVOR DREDGE </div>								
Date of the Actual Completion of the International Search <div style="text-align: center;">24 October 1985 (24.10.85)</div>	Date of Mailing of this International Search Report <div style="text-align: center;">(01-11-85) 01 NOVEMBER 1985</div>													
International Searching Authority <div style="text-align: center;">Australian Patent Office</div>	Signature of Authorized Officer <div style="text-align: center;"> TREVOR DREDGE </div>													